

Grub-Dateien mit Änderungen aus /etc/default/ (Kommentar-Datei)

```
Zeile 1 # If you change this file, run 'update-grub' afterwards to update
Zeile 2 #/boot/grub/grub.cfg.
Zeile 3 # For full documentation of the options in this file, see:
Zeile 4 # info -f grub -n 'Simple configuration'
Zeile 5
Zeile 6 GRUB_DEFAULT=0
Zeile 7 GRUB_HIDDEN_TIMEOUT=0
Zeile 8 GRUB_HIDDEN_TIMEOUT_QUIET=true
Zeile 9 GRUB_TIMEOUT=10
Zeile 10 GRUB_DISTRIBUTOR=`lsb_release -i -s 2>/dev/null || echo Debian`
Zeile 11
Zeile 12 GRUB_CMDLINE_LINUX=""
Zeile 13
Zeile 14 # Uncomment to enable BadRAM filtering, modify to suit your needs
Zeile 15 # This works with Linux (no patch required) and with any kernel that obtains
Zeile 16 # the memory map information from GRUB (GNU Mach, kernel of FreeBSD ...)
Zeile 17 #GRUB_BADRAM="0x01234567,0xfefefefe,0x89abcdef,0xefefefef"
Zeile 18
Zeile 19 # Uncomment to disable graphical terminal (grub-pc only)
Zeile 20 #GRUB_TERMINAL=console
Zeile 21
Zeile 22 # The resolution used on graphical terminal
Zeile 23 # note that you can use only modes which your graphic card supports via VBE
Zeile 24 # you can see them in real GRUB with the command `vbeinfo`
Zeile 25 #GRUB_GFXMODE=640x480
Zeile 26
Zeile 27 # Uncomment if you don't want GRUB to pass "root=UUID=xxx" parameter to Linux
Zeile 28 #GRUB_DISABLE_LINUX_UUID=true
Zeile 29
Zeile 30 # Uncomment to disable generation of recovery mode menu entries
Zeile 31 #GRUB_DISABLE_RECOVERY="true"
Zeile 32
Zeile 33 # Uncomment to get a beep at grub start
Zeile 34 #GRUB_INIT_TUNE="480 440 1"
GRUB_GFXPAYLOAD_LINUX=None
```

Test A Grub-Datei Original (vor Änderungen und zurückgeändert)

```
Zeile 11 GRUB_CMDLINE_LINUX_DEFAULT="drm.debug=0xe plymouth:debug"
```

Test B Grub-Datei nach Änderung 1

```
Zeile 11 GRUB_CMDLINE_LINUX_DEFAULT="quiet"
```

Test C Grub-Datei mit Änderung 2

```
Zeile 11 GRUB_CMDLINE_LINUX_DEFAULT="drm.debug=0xe noplymoth:debugs"
```

Test D Neueste Empfehlung

```
Zeile 11 GRUB_CMDLINE_LINUX_DEFAULT="quiet splash"
```